

nox-crete®

chemical solutions to concrete problems

FORMING



FORM MEETS FUNCTION

We have taken forming to the highest level. Our form release agents have been uniquely formulated for use on most form surfaces and with the most challenging concrete mix designs.

In addition, we offer a large variety of supplemental products for the protection and maintenance of your forming equipment and also for the application of all Nox-Crete forming related products.

WE ARE THE LEADING INDUSTRY EXPERTS!
**THE ORIGINATORS OF THE WORLD'S FIRST
 CHEMICALLY ACTIVE FORM RELEASE AGENT**



Competitive Form Release Agent

Nox-Crete Form Release Agent



Keep Forms Clean for
 New Form Results
 on Every Pour

Nox-Crete
 has you Covered for ALL
 your Concrete Forming Needs!

PRODUCTS FOR WOOD FORMS

- Chemically Active Release Agents that **maximize plywood panel reuses**
- **Wood Form Sealers** that stop wood sugar migration and related dusting
- **Plywood Edge Sealers** that stop edge swelling and prevent early deterioration

PRODUCTS FOR ALUMINUM AND STEEL FORMS

- **Seasoning Compounds for aluminum forms** designed to minimize the reaction between aluminum and concrete reducing form gassing, concrete build-up on form surfaces and concrete surface retardation
- Specialized **Chemically Active Release Agents for aluminum forms** designed to minimize concrete build-up
- Specialized **Release Agents with built-in rust inhibitors** to prevent steel form flash rusting between concrete pours
- **Rust Inhibitor** designed to protect steel forms and equipment for up to **six-months of exterior exposure**
- **Rust Remover** that eliminates the need for media blasting or grinding
- **Concrete Build-up Remover** that will not damage or corrode metal surfaces and is safer for user health and environment

SPECIALTY PRODUCTS

- **Ultra Low VOC** water-based and oil-based Release Agent formulations
- **Biodegradable** Water-based and Oil Based Form Release Agents
- Reactive Release Agents for **polystyrene and polyurethane forms and formliners**
- **Non-Slip Release Agents** designed for use on non-absorptive form surfaces used in horizontal forming applications
- High Performance **Application Equipment**

PRODUCTS	PAGE
ECONOMICAL RELEASE AGENTS	4
MAXIMUM PERFORMANCE RELEASE AGENTS	5
ALUMINUM FORM RELEASE AGENTS	6
ALUMINUM FORM MAINTENANCE & PROTECTION	7
FORM & EQUIPMENT MAINTENANCE PROTECTION	8
WOOD FORM SEALERS & EDGE SEALANT	9
APPLICATION EQUIPMENT	10
IMPROPER APPLICATION VS PROPER APPLICATION	11
NOX-CRETE HISTORY	12



GREEN ENGINEERED PRODUCTS

Since the early 1980s, Nox-Crete has been committed to developing products that are Green Engineered®. Nox-Crete products with this label are specially designed to be safer for both people and the environment. The cornerstone of our Green Engineered® concept is our research and development of water-based products. Green Engineered® products from

Nox-Crete are performance-driven and designed to the highest quality standards using the safest raw materials. With Green Engineered® products, design and construction professionals can meet the expectations for project design and construction without compromise to product performance or the world we share.



ECONOMICAL RELEASE AGENTS

PRO-RELEASE 3.0

- Water Based



Economical Form Release Agent

A revolutionary water-based general purpose concrete form release agent that combines both chemically active and barrier-type components for improved performance with most concrete mix designs, including mix designs incorporating pozzolans such as fly ash or blast furnace slag. Used as an alternative to higher cost specialty type form release agents where cost per gallon considerations outweigh performance requirements.



PRO-RELEASE 3.0

QUICK RELEASE

- Petroleum Based

Economical Form Release Agent

Combines both chemically active and barrier components resulting in a value engineered product designed to meet competitive market conditions.



QUICK RELEASE

CHEMBETON

- Petroleum Based

Economical Form Release Agent

Combines both chemically active and barrier components in a petroleum-based formulation. Good cold weather sprayability and fast drying. Resists removal by normal rain showers. For use on most absorptive and non-absorptive form surfaces.



CHEMBETON

QUICK RELEASE

THE COMPETITION



QUICK RELEASE

- Mild odor
- Crisp, positive release
- Resists wash-off
- Easily Applied



www.nox-crete.com

Quick Release offers both Quality & Value!

MAXIMUM PERFORMANCE RELEASE AGENTS

RELEASE AGENT #10

- Petroleum Based • Water Based



Maximum-Performance Architectural Form Release Agent

The low viscosity of Release Agent #10 allows it to be easily applied with low-pressure sprayers to produce architectural concrete surfaces free of staining with reduced surface void defects (bugholes). Ideal for form applications requiring an ultra-thin film, chemically active release agent that is both fast drying and less slippery in horizontal deck applications. ✦



RELEASE AGENT #10

BIO-NOX

- Water Based



Maximum-Performance, Readily Biodegradable Form Release Agent

Bio-Nox contains chemically active and barrier components that are classified by the United States Environmental Agency (EPA) as readily biodegradable and complies with OECD 301. Produces architectural concrete surfaces free of staining with reduced surface void defects (bugholes). Unparalleled performance on most non-absorptive form surfaces. Can be used on all rubber, plastic or fiberglass forms and form liners to include all form surfaces sensitive to petroleum based solvent attack. ✦



BIO-NOX

NOX-CRETE FORM COATING

- Petroleum Based • Water Based



Maximum-Performance Form Release Agent

The world's first chemically active, petroleum-based form release agent. Unparalleled performance on most absorptive plywood forms as well as medium density overlaid (MDO) and high density overlaid (HDO) plywood forms. Can also be used on steel form surfaces. Improves concrete surface appearance with no staining and reduced surface void defects (bugholes). ✦



NOX-CRETE FORM COATING

NOX-CRETE PCE

- Water Based



Biodegradable Architectural Form Release Agent

Nox-Crete PCE is a high quality, water-based form release agent ideal for architectural concrete. Once it dries, it forms a non-slip, transparent, wax-like film which is resistant to foot traffic as well as rain showers and dew. When Nox-Crete PCE comes into contact with cement, it chemically reacts to form a soapy film that allows trapped air and free water to escape during vibration. As a result, when applied properly, the product produces uniformly colored architectural concrete surfaces with substantially fewer surface voids.



NOX-CRETE PCE

* Complies with all federal and state and most local VOC requirements.

ALUMINUM FORM RELEASE AGENTS



ALUMI-CON

- Water Dilutable



Economical, Super-Concentrated Form Release Agent for Aluminum Forms

Chemically active economical alternative to petroleum-based form release agents. Dilutes easily (up to 1:6) with water for everyday use on clean aluminum forms and dilutes 1:3 for use on aluminum forms with concrete buildup. Improved emulsion technology ensures that product stays mixed and has good rain resistance once dry. Does not leave an oily residue on the form surface and has almost no odor. †



ALUMI-CON

* Complies with all federal and state and most local VOC requirements.

ALUMI-NOX

- Petroleum Based • Water Based

Maximum-Performance Form Release Agent for Aluminum Forms

A chemically active form release agent that keeps aluminum forms clean and free of concrete build-up. Produces superior concrete surfaces free of staining and surface voids. Performs well with concrete mix designs that use chemical and mineral admixtures, such as high-range water reducers, fly ash and blast furnace slag. ✱



ALUMI-NOX

+ Complies with all federal, state and local VOC requirements.

ALUMINUM FORM MAINTENANCE & PROTECTION


SEASONOX

- Water Based



Designed Specifically as a Seasoning Compound for Cold-Rolled, Stamped or Cast Aluminum Forms

Seasonox is a fast-acting biodegradable and VOC compliant alternative to lime conditioning that minimizes the natural reactivity between aluminum and fresh concrete by creating a protective barrier that reduces form buildup and sticking. Use on new aluminum forms or existing forms that have lost their seasoning due to acid cleaning, media blasting or high-pressure washing.



SEASONOX

SEASONOX EXT

- Water Based



Seasoning Compound for Extruded Aluminum Forms

Designed specifically as a seasoning compound for extruded aluminum forms. Seasonox EXT is an ideal alternative to powder-coating. Water-based and ready-to-use, Seasonox EXT chemically changes the surfaces of new extruded aluminum forms and greatly reduces the chemical bonding (sticking) that can take place between extruded aluminum and fresh concrete.



SEASONOX EXT

FORM CLEAN

- Petroleum Based

Dual Purpose Form Cleaner and Form Release Agent

Removes hardened concrete buildup through repeated use while forms remain in service. Also, functions as a release agent which eliminates the need for the application of a second product prior to each pour. Cost-effective alternative to media blasting, acid washing, pressure washing and scraping and will not damage the form surfaces. Extremely effective on aluminum and steel forms.



FORM CLEAN

FOUR-ACT

- Petroleum Based

Highly Chemically Active, 4-in-1 Form Cleaner, Buildup and Splatter Remover, Release Agent and Seasoning Compound

Four-Act is a concentrated, petroleum-based, highly chemically active formulation that requires dilution before use. The product chemically reacts with fresh concrete to prevent bonding to existing concrete buildup on form surfaces. It also softens build-up on concrete handling and placing equipment as well as aluminum and steel forms. Four-Act can be used in combination with Seasonox to help season aluminum forms. Four-Act can also be added to certain Nox-Crete release agents to increase reactivity.



FOUR-ACT

FORM & EQUIPMENT MAINTENANCE PROTECTION

BLAST-OFF®

- Water Based

**Fast-Acting, Non-Corrosive
Biodegradable Concrete Remover**

Highly effective organic acid derived from sugar beets. Contains no mineral-based acids. Quickly removes cement and concrete buildup on concrete forms, mixers, pumps, paving machines, screeds, saws, tools and more. Non-corrosive to equipment and is biodegradable. Will not remove aluminum form seasoning when used to eliminate buildup on aluminum forms.



BLAST-OFF®

DEACTIVATOR

- Petroleum Based

**The Original, Chemically Active Concrete Equipment
Cleaning and Maintenance Coating**

Deactivator chemically reacts with the alkalis in the concrete to prevent fresh concrete from bonding and gradually soften existing concrete buildup. When applied to mixers, conveyors, pumps and other types of concrete handling equipment, Deactivator prevents the adhesion and accumulation of concrete buildup. Complies with all federal, state and local VOC requirements.



DEACTIVATOR

KEM-EX-IT PLUS

- Water Based

Rust and Concrete Buildup Remover

Ready to use without dilution or mixing. Ideal for quickly removing flash rust or light rust on steel forms and avoiding form surface damage caused by media blasting and other harsh cleaning methods.



CLEANED WITH KEM-EX-IT PLUS

RUSTED STEEL


KEM-EX-IT PLUS

FORM ARMOR

- Petroleum Based

**High-Performance, Specialized
Rust Inhibitor for Steel Forms**

Protects steel forms from the corrosive effects of rain and salt water mist for up to six months in exterior exposure conditions.



TREATED

UNTREATED

FORM ARMOR

WOOD FORM SEALERS & EDGE SEALANT

CLEAR PRE-FORM®

- Solvent Based

Low Build, Transparent, Moisture Cure Polyurethane Wood Sealer

Extends the life of plywood forms by reducing the absorption of alkaline bleed water. Improves concrete surface appearance by preventing soluble wood sugar migration, which can lead to concrete surface dusting. Ideal for use with dimensional lumber, non-overlaid plywood, waferwood, oriented strand board (OSB), medium density fiberboard (MDF) and particle board concrete forms and rustication strips.



PRE-FORM® HB

- 100% Solids

High Build, Flexible Polyurethane Coating System

Used to overlay or resurface plywood forms in exterior applications. Creates uniformly smooth surfaces by covering up all imperfections, rough surfaces and screw holes. Prevents wood grain pattern telegraphing of plywood forms onto formed concrete surfaces. Ideal for use on plywood form tables and in plywood gang-form applications.



PRE-FORM® HB

Wood Form Sealer that Produces Crisp, Bright and consistent Concrete Surface Finishes

PENETRATING POLYURETHANE WOOD FORM SEALER

PRE-FORM
CLEAR PRE-FORM
POLYURETHANE WOOD FORM SEALER

EMERGENCY PHONE: CHEMTRAC: 1-800-424-6338
OUTSIDE OF THE U.S.: 781-627-3887

www.nox-crete.com • 800-841-0888 • For professional use only

Use By: 06/1/2011
Lot Number: 234-079
Part Number: 1100

USE BY: 06/1/2011
Lot Number: 234-079
Part Number: 1100

Composition and Storage
Application Instructions
Surface Seal Application

Ideal for use on:

- Plywood
- OSB, MDO
- Wafer-Wood
- Fiberboard
- Particle Board
- Dimensional Lumber
- Wood Rustication Strips

www.nox-crete.com

Extends the Life of Wood Concrete Forms!

EDGE-FLEX 645

- Water Based

Tough, Flexible, Plywood Edge Sealer and Lumber End Sealer







Edge-Flex 645 is a maximum performance plywood edge sealer that extends concrete form panel life and reduces edge swell by reducing the absorption of alkaline bleed water through field-cut panel edges.



EDGE-FLEX 645

THE EVOLUTION OF THE PERFECT FORM SPRAYERS

Nox-Crete has been PERFECTING proper application for over 60 years!

					
1959	1967	1972	1974	2010	
1st Generation Perfect From Sprayer is Released	2nd Generation Perfect Form Sprayer Released	3rd Generation Perfect Form Sprayer Released	4th Generation Perfect Form Sprayer Released	5th Generation Perfect Form & Concrete Sprayer	6th Generation Newly Released in 2022

APPLICATION EQUIPMENT



PERFECT FORM SPRAYER

Contractor-Grade Hand Pump and Compressed Air-Filled Sprayer

Perfectly designed for applying Nox-Crete form release agents. Can be charged to a maximum pressure of 87 psi (600 kPa) by hand pumping or from an external air source when equipped with optional air compressor fill valve. Utilizes a heavy-duty stainless steel tank, stainless steel wand, pistol grip shut-off, high-capacity in-line 100-mesh filter, air pressure gauge, and cold weather compatible, chemically resistant hose, seals and gaskets.

PERFECT PUMP FOAMER

Hand Pump Foamer

The Perfect Pump Foamer is specifically designed to produce a thick, rich foam that clings to vertical surfaces. It is manufactured with a heavy-duty polypropylene tank and equipped with a wide mouth and funnel cap for easy filling without contamination. Can be charged to a maximum pressure of 58 psi (400 kPa) by hand pump or from external air source through the supplied air compressor fill valve. Chemical resistant hose, seals and gaskets for extended durability and a built-in pressure relief valve. When used properly, the Perfect Pump Foamer will maximize the performance of Blast-Off concrete buildup and splatter remover.



IMPROPER APPLICATION VS PROPER APPLICATION



PERFECT FORM SPRAYER

The success of a project often depends on proper application. The Perfect Form Sprayer helps ensure smooth, consistent application through pressure regulation and use of a constant flow valve which allows maximum performance for all Nox-Crete release agents in warm or cold weather and regardless of product VOC.



FORMING

HISTORY



CARL LINN IN THE LABORATORY



DEACTIVATOR • FORM COATING

THE CONCRETE CHALLENGE

In 1956, while working for a lubricant company, chemist Carl Linn observed contractors using the company's oil and grease compounds to prevent concrete from bonding to forms. Not only were the compounds difficult to work with, but the concrete was discolored and unpaintable. Forms failed after just a few pours. Concrete workers struggled with these issues for years, but Linn had an idea.

OUR CHEMICAL SOLUTIONS

Carl developed the first chemically active release agent, Nox-Crete Form Coating, and a chemically active form maintenance product, Deactivator. With Nox-Crete Form Coating, contractors produced considerably better looking concrete and got longer life from their wood forms.

With Deactivator, concrete buildup was safely and easily removed from tools and equipment. And so, Nox-Crete's passion for solving concrete professionals' challenges was born.

STILL INNOVATING WORLDWIDE

Today, Nox-Crete continues to manufacture chemical solutions to concrete problems. While still manufacturing the original Nox-Crete Form Coating and Deactivator, we have expanded our product line to include over 100 different products spanning six different market segments that are sold through a worldwide network of distributors and dealers.

Following Carl Linn's example, we continue to rely on concrete contractors for new product ideas. Our chemists and engineers examine field problems and develop solutions in our laboratory.

This passion for innovation is found in the quality, performance and results of all Nox-Crete products.

CONCRETE MARKETS WE SERVE

- Application Equipment
- Curing
- Decorative
- Equipment Maintenance
- Flooring
- Forming
- Grouts and Repair Mortars
- Plywood form OEM
- Precast
- Tilt-Up
- Waterproofing

