



SAFETY DATA SHEET

1. Identification

| | | |
|---|--|--|
| Product identifier | LPS® ThermaPlex® CS Moly Bearing Grease | |
| Other means of identification | | |
| Part Number | 70806, 70814, C70806, C70814 | |
| Recommended use | A lubricating grease intended for bearings offering high performance, enhanced load carrying ability and shock loading protection. | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | | |
| Manufacturer | | |
| Company name | ITW Pro Brands | |
| Address | 4647 Hugh Howell Rd. Tucker, GA 30084 | |
| Country | (U.S.A.) Tel: +1 770-243-8800 | |
| In Case of Emergency | 1-800-424-9300 1-703-527-3887 | |
| Website | www.lpslabs.com | |
| E-mail | lpssds@itwprobrands.com | |
| Supplier | ITW Permatex Canada 1-35 Brownridge Road Halton Hills, ON, L7G 0C6 Canada 1-800-241-8334 | |

2. Hazard(s) identification

| | | |
|------------------------------|-----------------------------------|-------------|
| Physical hazards | Not classified. | |
| Health hazards | Serious eye damage/eye irritation | Category 2A |
| Environmental hazards | Not classified. | |

Label elements



| | | |
|---------------------------------|--|--|
| Signal word | Warning | |
| Hazard statement | Causes serious eye irritation. | |
| Precautionary statement | | |
| Prevention | Wash thoroughly after handling. Wear eye protection/face protection. | |
| Response | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. | |
| Storage | Store away from incompatible materials. | |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Other hazards | None known. | |
| Supplemental information | 57.98% of the mixture consists of ingredient(s) of unknown toxicity. | |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------|---------------------------------|-------------------|----------|
| OIL, MINERAL | | 64742-52-5 | 30 - 60 |

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------------------|--------------------------|------------|---------|
| 1-Decene Homopolymer | | 68037-01-4 | 10 - 30 |
| Calcium Carbonate | | 471-34-1 | 1 - 10 |
| Molybdenum Disulfide | | 1317-33-5 | 1 - 3 |
| Zinc Dialkylditho Phosphate | | 68649-42-3 | < 2 |

All concentrations are in percent by weight (kg) unless ingredient is a gas. Gas concentrations are in percent by volume (l).

4. First-aid measures

| | |
|---|---|
| Inhalation | Move to fresh air. If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist. |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Most important symptoms/effects, acute and delayed | Irritation of eyes and mucous membranes. |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed. |
| General information | Take off contaminated clothing and shoes immediately. If you feel unwell, seek medical advice (show the label where possible). |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep upwind. Keep out of low areas. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Dike far ahead of spill for later disposal. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid release to the environment. Refer to special instructions/safety data sheets. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment. |

7. Handling and storage

| | |
|---|---|
| Precautions for safe handling | Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid contact with eyes. Avoid contact with skin. Do not empty into drains. Handle and open container with care. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Keep away from heat, sparks and open flame. Store in original tightly closed container. Keep out of the reach of children. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|-------------------------------|------|---------------------|---------------------|
| OIL, MINERAL (CAS 64742-52-5) | TWA | 5 mg/m ³ | Inhalable fraction. |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value | Form |
|----------------------------------|------|----------------------|-------|
| Calcium Carbonate (CAS 471-34-1) | TWA | 10 mg/m ³ | |
| OIL, MINERAL (CAS 64742-52-5) | STEL | 10 mg/m ³ | Mist. |
| | TWA | 5 mg/m ³ | Mist. |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value | Form |
|-------------------------------|------|---------------------|---------------------|
| OIL, MINERAL (CAS 64742-52-5) | TWA | 5 mg/m ³ | Inhalable fraction. |

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components | Type | Value | Form |
|----------------------------------|------|----------------------|-------------|
| Calcium Carbonate (CAS 471-34-1) | TWA | 10 mg/m ³ | Total dust. |
| OIL, MINERAL (CAS 64742-52-5) | STEL | 10 mg/m ³ | Mist. |
| | TWA | 5 mg/m ³ | Mist. |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated. Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection

Not normally needed.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing.

Respiratory protection

No personal respiratory protective equipment normally required.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Solid.

Form

Paste.

Color

Grey; Black.

Odor

Hydrocarbon-like.

Odor threshold

Not available.

pH

Not applicable.

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not available.

Flash point

400.0 °F (204.4 °C) Cleveland Open Cup

| | |
|---|------------------------------|
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not applicable. |
| Explosive limit - upper (%) | Not applicable. |
| Vapor pressure | < 0.13 kPa |
| Vapor density | < 1 (air = 1) |
| Relative density | 0.87, 7.506 (lbs/gal) @ 15°C |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| VOC | 1 % w/w ASTM D-972 |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | Carbon oxides. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. |

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. |
|---|---|

Information on toxicological effects

| | |
|-----------------------|---|
| Acute toxicity | Expected to be a low hazard for usual industrial or commercial handling by trained personnel. |
|-----------------------|---|

| Components | Species | Test Results |
|---------------------------------------|---------|---------------------|
| 1-Decene Homopolymer (CAS 68037-01-4) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2 ml/kg, 24 Hours |
| Inhalation | | |
| LC50 | Rat | 0.9 mg/l, 4 Hours |
| Oral | | |
| LD50 | Rat | > 5 ml/kg |

| Components | Species | Test Results |
|--|--|------------------------|
| Calcium Carbonate (CAS 471-34-1) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rat | > 2000 mg/kg, 24 Hours |
| Oral | | |
| LD50 | Rat | > 2000 mg/kg |
| OIL, MINERAL (CAS 64742-52-5) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg |
| Inhalation | | |
| LC50 | Rat | > 3.9 mg/l, 4 Hours |
| Oral | | |
| LD50 | Rat | > 2000 mg/kg |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. | |
| Respiratory or skin sensitization | | |
| Canada - Alberta OELs: Irritant | | |
| Calcium Carbonate (CAS 471-34-1) | Irritant | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | This product is not expected to cause skin sensitization. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. | |
| ACGIH Carcinogens | | |
| OIL, MINERAL (CAS 64742-52-5) | A2 Suspected human carcinogen. A4 Not classifiable as a human carcinogen. | |
| Canada - Manitoba OELs: carcinogenicity | | |
| OIL, MINERAL (CAS 64742-52-5) | Not classifiable as a human carcinogen. Suspected human carcinogen. | |
| US. National Toxicology Program (NTP) Report on Carcinogens | | |
| OIL, MINERAL (CAS 64742-52-5) | Known To Be Human Carcinogen. | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | Not classified. | |
| Specific target organ toxicity - repeated exposure | Not classified. | |
| Aspiration hazard | Not likely, due to the form of the product. | |
| Chronic effects | Prolonged inhalation may be harmful. | |
| Further information | This product has no known adverse effect on human health. | |

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | Species | Test Results |
|----------------------------------|---------|---|
| Calcium Carbonate (CAS 471-34-1) | | |
| Aquatic | | |
| Fish | LC50 | Western mosquitofish (<i>Gambusia affinis</i>) > 56000 mg/l, 96 hours |

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

LPS® ThermaPlex® CS Moly Bearing Grease > 1

Mobility in soil No data available.**Other adverse effects** None known.**13. Disposal considerations****Disposal instructions** Contract with a disposal operator licensed by the Law on Disposal and Cleaning. This material and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. After recovery of solvent dispose of residue as hazardous waste. Dispose in accordance with all applicable regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.**Local disposal regulations** Dispose in accordance with all applicable regulations.**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.**14. Transport information****TDG**

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.**15. Regulatory information****Canadian regulations** This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.**Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work. Pregnant women should not work with the product, if there is the least risk of exposure. Regulation (EU) No 453/2010 amending Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 01-05-2017

Version # 01

Disclaimer ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Product and Company Identification
Composition / Information on Ingredients: Ingredients
Regulatory Information: Risk Phrases - Labeling