

SAFETY DATA SHEET (SDS)

	Section 1. Ident	tification		
Product identifier LABFAST BASIX COLOR, PART A				
Other means of identification LFX400A1				
Recommended use and restrictions on use Floor coating				
Initial supplier identifier	LABSURFACE 2250, LOUIS-BLÉRIOT, M	ASCOUCHE (OC) CANADA J7K 3	C1	
	Tél. (450) 966-9000			
Emergency telephone number/restriction on use Canada – Handling (450) 966-9000 8h-17h				
Canada – Transport CANUTEC Number 24 hours 613-996-6666				
	Section 2. Hazard i	dentification		
Classification of hazardous p	roduct (name of the category or subcategory	y of the hazard class)		
Skin irritation (Category 2)				
	Sensitization – Skin (Category 1)			
Eye irritation (Category 2A)				
Carcinogenicity (Category 2)				
	onment – Chronic (Category 3)			
Information elements (symbol	ols, signal words, hazard statements and pre	cautionary statements of the catego	ory/subcategory)	
P261 Avoid breathing dust/fur P272 Contaminated work cloth P280 Wear gloves/protective of P302 + P352 IF ON SKIN: Wa P362 + P364 Take off contamin P305 + P351 + P338 IF IN E rinsing. P337 + P313 If eye irr P308 + P313 IF exposed or con P273 Avoid release to the envir P405 Store locked up.	tion. ncer. with long lasting effects. hs before use. P202 Do not handle until all safe ne/gas/mist/vapours/spray. P264 Wash hands/m hing should not be allowed out of the workplac lothing/eye protection/face protection. ash with plenty of water. P333 + P313 IF SKIN nated clothing and wash it before reuse. YES, Rinse cautiously with water for several itation persists: Get medical attention. ncerned: Get medical attention. ronment. ainer into safe container in accordance with loc	ails/face thoroughly after handling. e. I irritation or rash occurs: Get medica minutes. Remove contact lenses, if p cal, regional or national regulations.	l attention.	
	Section 3. Composition/infor			
Chemical name (common na		CAS number or other	Concentration (%)	
Aspartic Acid, N, N'-(methyle	nedi-4,1-cyclohexanediyl)bis-, 1, 1', 4, 4'-	136210-30-5	45-70	
tetraethyl ester				
Aspartic Acid, N,N'-[methylen	ebis(2-methyl-4,1-cyclohexanediyl)]bis-	136210-32-7	10-30	
,1,1',4,4'-tetraethyl ester	-			
Aspartic Ester		152637-10-0	5-10	
Other products 5-10				
Colors may contain:				
Titanium dioxide				
Carbon black		1333-86-4	1-5	
	sheet provides concentration range(s) instead of the a considered trade	actual concentration(s) by weight (except f	or gases/propellants by volume)	



	Section 4. First-aid measures		
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.		
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
-	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take of		
	contaminated clothing and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do		
	Continue rinsing. If eye irritation persists: Get medical attention.		
	symptoms and effects (acute or delayed) Causes skin irritation. Causes serious eye irritation.		
Indication of im	mediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		
	Section 5. Fire-fighting measures		
Specific hazards	s of the hazardous product (hazardous combustion products)		
Carbon oxides ar	nd other irritant/toxic gases and fumes.		
Suitable and un	suitable extinguishing media		
In case of fire: U	se carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.		
Special protecti	ve equipment and precautions for fire-fighters		
During a fire, irri	tating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper		
protective equipn	nent and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.		
Move containers	from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.		
	Section 6. Accidental release measures		
Personal precau	tions, protective equipment and emergency procedures		
Restrict access to	area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should		
wear the appropri-	ate protective equipment (See Section 8).		
Methods and m	aterials for containment and cleaning up		
	release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then		
	o a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product		
Notify the approp	priate authorities as required.		
	Section 7. Handling and storage		
Precautions for	safe handling		
	tective clothing/eye protection/face protection.		
	it is very important that engineering controls are operating, and that protective equipment requirements and personal hygien		
	ng followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect container		
contact with eyes	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid		
	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep		
away from incor	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep		
away from incor Section 8.	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to afe storage, including any incompatibilities		
away from incor Section 8. Conditions for s	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to		
away from incor Section 8. Conditions for s Store in a well-v	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to afe storage, including any incompatibilities		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10)		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incon obstruction and a	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks.		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incon obstruction and a Control parame	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also the afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection eters (biological limit values or exposure limit values and source of those values)		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incon obstruction and a Control parame Exposure limits:	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also the afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection eters (biological limit values or exposure limit values and source of those values)		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incom obstruction and a Control parame Exposure limits: PEL-TWA 10 m	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also the afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection ters (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ & PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ &		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incom obstruction and a Control parame Exposure limits: PEL-TWA 10 m Appropriate eng	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also the afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection ters (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & g/m ³ ; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); gineering controls		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incom obstruction and a Control parame Exposure limits: PEL-TWA 10 m Appropriate en Use under well-v	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also the afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection ters (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & g/m ³ ; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); gineering controls		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incom obstruction and a Control parame Exposure limits: PEL-TWA 10 m Appropriate en Use under well-v limits. Make eme	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also t afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of inccessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection ters (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ & PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & g/m ³ ; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); gineering controls entilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incom obstruction and a Control parame Exposure limits: PEL-TWA 10 m Appropriate en Use under well-v limits. Make eme Individual prote	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee mpatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also t afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection teres (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ & PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & g/m ³ ; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); gineering controls entilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure ergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. ection measures/personal protective equipment		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incom obstruction and a Control parame Exposure limits: PEL-TWA 10 m Appropriate en Use under well-v limits. Make eme Individual prote	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep inpatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection ters (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ & PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & g/m ³ ; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); gineering controls entilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure argency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incom obstruction and a Control parame Exposure limits: PEL-TWA 10 m Appropriate en Use under well-v limits. Make eme Individual prote are unknown. Ch	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid a, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep mpatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also the afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection ters (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ & PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & g/m ³ ; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); gineering controls entilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure argency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. section measures/personal protective equipment cotion is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limit emically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be wor		
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control parame Exposure limits: PEL-TWA 10 m Appropriate en Use under well-v limits. Make eme Individual prote are unknown. Ch during all handlin	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee matible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also tr afe storage, including any incompatibilities entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10) ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection ters (biological limit values or exposure limit values and source of those values) CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & g/m ³ ; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); gineering controls entilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure ergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. ection measures/personal protective equipment ection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limit		



• •			
Section 9. Physical an			
Physical state Liquid	pH Not available		
Colour Various	Kinematic viscosity Not available		
Odour Characteristic	Solubility Not available		
Melting/freezing point Not available	Partition coefficient - n-octanol/water (log) Not available		
Initial boiling point/ initial/rangeNot availableVapour pressureNot available			
Flammability Not available	Density/relative density Not available		
Upper and lower flammability/explosive limits Not available Relative vapour density Not available			
Flash point Not available Particle characteristics Not available			
Auto-ignition temperature Not available VOC Not available			
Decomposition temperature Not available Other None known			
Section 10. Stabil	ity and reactivity		
Reactivity			
Does not react under the recommended storage and handling conditions pre	scribed.		
Chemical stability			
Stable under the recommended storage and handling conditions prescribed.			
Possibility of hazardous reactions			
None known			
Conditions to avoid (static discharge, shock or vibration)			
None known			
Incompatible materials			
Oxidizing materials; etc.			
Hazardous decomposition products			
None known			
Section 11. Toxicol			
Information on the likely routes of exposure (inhalation, ingestion, sk			
Causes skin irritation. May cause an allergic skin reaction. Causes serious			
Symptoms related to the physical, chemical and toxicological charact	eristics		
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing.			
Delayed and immediate effects (chronic effects from short-term and l			
	ilable; Germ Cell Mutagenicity - No data available; Carcinogenicity -		
	y – No data available; Specific Target Organ Toxicity — Single Exposure		
– No data available; Specific Target Organ Toxicity — Repeated Expos	sure – No data available; Aspiration Hazard – No data available; Health		
Hazards Not Otherwise Classified – No data available.			
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)			
None			
ATE not available in this document.			
Section 12. Ecological information Ecotoxicity (aquatic and terrestrial information) No data available for the product.			
	for the product.		
Persistence and degradability No data available			
Bioaccumulative potential No data available Mability in goil No data available			
Mobility in soil No data available			
Other adverse effects Harmful to aquatic life with long lasting effects.			
Section 13. Disposal considerations			
Information on safe handling for disposal/methods of disposal/contaminated packaging			
Dispose of contents/container into safe container in accordance with local, regional or national regulations.			
Section 14. Transport information			
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations			
Not regulated			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)			
Not regulated			
UN number; Proper shipping name; Class(es); Packing group (PG) o	f the IATA (air)		
Not regulated			
Special precautions (transport/conveyance) None			
Environmental hazards (IMDG or other) None			



Section 15. Regulatory information			
alth Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).			
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/environmental outside regulations specifics			
United States OSHA information: This product is regulated according to OSHA (29 CFR).			
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14	4.		
United States TCSA information: Refer to the ingredients listed in Section 3.			
National Fire Protection Association (NFPA):			
HEALTH: 1 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.			
HAZARD SCALE: $0 = Minimal$ $1 = Slight$ $2 = Moderate$ $3 = Serious$ $4 = Severe$			
Proposition 65: WARNING: This product contains Titanium dioxide (CAS 13463-67-7) & Carbon black (CAS 1333-86-4) known to the State	e of		
California to cause cancer or other reproductive harm.			
Section 16. Other information			
Date of the latest revision of the safety data sheet May 08, 2024 version 1 (NSS ENTREPRISE INC.)			
Corrections			
References Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations			
ACGIH American Conference of Governmental Industrial Hygienists	American Conference of Governmental Industrial Hygienists		
ATE Acute toxicity estimate			
CAS Chemical Abstract Service			
DSL Domestic Substance List			
IARC International Agency for Research on Cancer			
IATA International Air Transport Association			
IMDG International Maritime Dangerous Goods Code	•		
LC Lethal concentration			
LD Lethal Dosage	Lethal Dosage		
NIOSH National Institute for Occupational Safety and Health			
NTP National Toxicology Program (U.S.A.)			
OSHA Occupational Safety and Health Administration (U.S.A.)			
PEL Permissible Exposure Limit			
STEL Short-term Exposure Limit			
TDG Transport of dangerous goods in Canada			
TLV Threshold Limit Value	Threshold Limit Value		
TSCA Toxic Substances Control Act	Toxic Substances Control Act		
TWA Time Weighted Average	Time Weighted Average		
WHMIS Workplace Hazardous Materials Information System			
DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information prov			
herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes they assume all risks of their use, handling, and disposal of the product. In order to meet our stringent requirements, we continuously test our coatings and, occasionally, formulations may			

they assume all risks of their use, handling, and disposal of the product. In order to meet our stringent requirements, we continuously test our coatings and, occasionally, formulations may be modified to improve the properties of the coatings. The information and data appearing in this reference document may not be up to date, despite the reference date.



SAFETY DATA SHEET (SDS)

Section 1. Identification Other means of identification IFAQL: 11 Recommended use and restrictColspan="2">Tel Colspan="2">Contains Initial supplier identifier IASSURFACE 2250, IOUIS-HI-ÉRIOT, MASCOUCHH (QC) CANDA J7K 3C1 Tel Colspan="2">Contain Tel State Provide Colspan="2">Cont			SAFETY DATA SHEET (SDS)	
Other means of idendification LTX2B.I Recommended use and erstrictions on use Floor counting Teld. (450) 966 9000 LABSURTACE 2250, LOUISABLÉRIOT, MASCOUCHE (QC) CANADA 17K 3C1 Teld. (450) 966 9000 Canada - Transport CANUTEC Number 24 hours 613-996 6666 Section 2. Laracra distribution Canada - Transport CANUTEC Number 24 hours 613-996 6666 Section 2. Laracra distribution Section 2. Laracra distribution Aspiration harard (Category 3) Section 2. Laracra distribution Aspiration harard (Category 1) Sisti intitiation (Category 2) Section 2. Laracra distribution Section 2. Laracra distribution Specific target organ toxicity - single exposure (Category 3) Section 2. Laracra distribution Reproductive toxicity (Category 2) Tormation elements (symbols, signal words, harard statements and precautionary statements of the category/subcategory) Differentiation Tormation elements (symbols, signal words, harard statements and precautionary statements of the category/subcategory 2) Darger Tormation elements (symbols, signal words, harard statements and precautionary statements of the category/subcategory 2) Darger Tormation elements (symbols, signal words, harard statements and precautionary statements of the category/subcategory 2) Darger Tormation elements			Section 1. Identification	
Recommended use and restrictions on use Floor conting Initial supplier identifier I.A.B.NIRPACE 250, LOUIS-BLÉRIOT, MASCOUCHE (QC) CANADA J7K 3C1 I.A. (ASD) 966-9000 Emergency telephone number/restriction on use Canada – transport CANITEC Number 24 hours 613-996-6666 Section 2. Handling (450) 966-9000 8h-17h Canada – transport CANITEC Number 24 hours 613-996-6666 Teamable lapid (Cardous product (name of the category or subcategory of the hazard class) Teamable lapid (Cardous product (name of the category or subcategory of the hazard class) Teamable lapid (Cardous product (name of the category 3) Section 2. Statistical (Category 2) Sectification of the category 2) Sectification elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger T1226 Flammable liquid and vapor. T1236 Haurtoh (Section 2. Space) T1237 Flammable liquid and vapor. T1236 Haurtoh (Section 2. Space) T1236 Flammable liquid and vapor. T1236 Haurtoh (Section 2. Space) T1236 Flammable liquid and vapor. T1236 Haurtoh (Section 2. Space) T1236 Flammable liquid and vapor. T1236 Haurob flamid (Section 2. Space) T				
Initial supplier identifier LABSURFACE 2250. LOUIS BLÉRICT. MASCOUCHE (QC) CANADA J7K 3C1 Emergency telephone number/restriction on use Canada - Handling (450) 966-9000 Bi-17h Canada - Transport CANUTEC Number 24 hours 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Flummable liquid (Category 3) Aspiration hazard (Category 1) Specific target organ toxicity stagle exposure (Category 3) Reproductive toxicity inhalation (Category 2) Specific target organ toxicity stagle exposure (Category 3) Reproductive toxicity (Category 2) Specific target organ toxicity stagle exposure (Category 3) Reproductive toxicity (Category 2) Specific target organ toxicity stagle exposure (Category 3) Reproductive toxicity (Category 2) Specific target organ toxicity stagle exposure (Category 3) Reproductive toxicity (Category 2) Specific target organ toxicity stagle exposure (Category 3) Reproductive toxicity (Category 2) Specific target organ toxicity stagle exposure (Category 3) Reproductive toxicity (May be fail if wallowed and enters airways. H315 Category (May be fail if wallowed and enters airways. H315 Categ				
Tell (450) 966-9000 Emergency telephone number/restriction on use Canada - Handling (450) 966-9000 8h-17h Canada - Transport CANUTEC Number 24 hours 613-996-6666 Section 2. Hazard identification Appriation hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 1) Skin irritation (Category 2) Section 2. Hazard identification Appriation hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 2) Section 2. Hazard identification Specific target organ toxicity - single exposure (Category 3) Reproductive toxicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, bignal wor	Recommended use and restr	ictions on use Floo	r coating	
Emergency telephone number/restriction on use Canada — Handling (450) 966 9000 8h-17h Canada — Transport CANUTEC Number 2h hours 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Hazard identification Classification Azard (Category 3) Aspiration hazard (Category 2) Section 2. Hazard identification Classification of hazardous product (name of the category of subcategory 3) Representation of the category 2. Colspan="2">Colspan="2">Classification of hazardous productive toxicity (Category 2.) Colspan="2">Colspan="2">Classification of hazardous productive toxicity (Category 2.) Danger Tator and on Celssification of hazardous and enters airways. Restrictions before uses, signal words, hazard statements and precautions have been read and understood. Productive toxicity (Category 2) Colspan="2">Colspan= Colspan= Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan	Initial supplier identifier	supplier identifier LABSURFACE 2250, LOUIS-BLÉRIOT, MASCOUCHE (QC) CANADA J7K 3C1		
Canada Transport CANUTEC Number 24 hours 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 2) Section 2. Hazard identification Semitization - Skin (Category 2) Semitization Semitization - Skin (Category 2) Section 2. Hazard identification Specific target organ toxicity (Sategory 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Darger Repodactive toxicity (Sategory 2) Darger Repodactive toxicity (Sategory 2) Darger Repodactive toxicity (Sategory 2) Darger Repodactive toxic reports airways. R131 May classe an allergic skin reaction. Repodactive toxic reports airways. R131 May classe drowsiness or dizziness. H336 Nay classe drowsiness or dizziness. R135 Laspencie I instance, special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P201 Neep dawy from heat, how surfaces, spark, special instructions sports were, spreak, regord and toxic gravinsity rougon synaws regord and tober ignition sources. No smoking. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent s		Tél. (450) 966-9000		
Canada Transport CANUTEC Number 24 hours 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 2) Section 2. Hazard identification Semitization - Skin (Category 2) Semitization Semitization - Skin (Category 2) Section 2. Hazard identification Specific target organ toxicity (Sategory 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Darger Repodactive toxicity (Sategory 2) Darger Repodactive toxicity (Sategory 2) Darger Repodactive toxicity (Sategory 2) Darger Repodactive toxic reports airways. R131 May classe an allergic skin reaction. Repodactive toxic reports airways. R131 May classe drowsiness or dizziness. H336 Nay classe drowsiness or dizziness. R135 Laspencie I instance, special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P201 Neep dawy from heat, how surfaces, spark, special instructions sports were, spreak, regord and toxic gravinsity rougon synaws regord and tober ignition sources. No smoking. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent s	Emergency telephone number			
Section 2. Hazard identification Classification of hazardos product (name of the category or subcategory of the hazard class) Flammable fiquid (Category 3) Aspiration hazard (Category 1) Sensitization - Skin (Category 2) Mathematic (Category 2) Information Conceptory 2) Information Centerots (ymbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information Centerots (ymbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger H226 Flammable liquid and vapor. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H318 Advance and allergic skin reaction. H319 May cause and allergic skin reaction. H316 Suspected of damaging frequirity or the unborn child. P210 Keep away from heat, hoursyknay. Experiment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P210 Keep away from heat, hoursyknay. P244 Wash handshnaikfacte throughly are handing. P210 Keep away from heat, hoursyknay. P244 Wash handshnaikfacte throughly are handing. P210 Keep away from heat, hoursyknay. P244 Wash handshnaikfacte throughly are handing. P210 Keep away from heat, hoursyknay. P244 Wash handshnaikfacte throughly are handing.				613-996-6666
Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 1) Skin Initiation (Category 2) Sensitization - Skin (Category 1) Eye irritation (Category 2) Specific target organ toxicity - single exposure (Category 3) Reproductive toxicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Image: P226 Flammable liquid and vapor. H315 Causes shi initiation. H314 May be fatti if swallowed and enters airways. H315 Causes storius eve irritation. H319 Causes storius eve irritation. H319 Causes arous eve oritation. H310 Kause and elements for the unbrachild. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Exercitic event in structions before use. P202 Use non-special instructions to prevent static discharges. P211 Use only outdoors or in a well-wentilated area. P227 Contaminated work clothing should not be allowed and or the workplace. P280 H201 Bytain special instruction wall-y call a doctor. P31 DO NOT INDUCE VOMITING. P301 + P31B IF byte initiation persists: Call a doctor. P31 DO NOT INDUCE VOMITING. P301 + P31B IF byte initiation				
Flammable liquid (Category 1) Skin irritation (Category 2) Skin (Tritation (Category 2) Sensitization - Skin (Category 1) Eye irritation (Category 2A) Acute toxicity inhalation (Category 4) Specific target organ toxicity - single exposure (Category 3) Reproductive toxicity (Category 2) Information clements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information clements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger H226 Flammable liquid and vapor. H304 May be frait if svallowed and enters airways. H315 Causes stim initution. H317 May cause an allergic skin reaction. H319 Causes serious eye tritation. H319 Causes serious eyes tritation exerces. No sunoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking toolik. P243 Take action to prevent static discharges. P271 Use only outching should not be allowed out of the workplace. P280 War gloves/protective clothing/eye protection/face protection. P304 + P304 IF SWALLOWED: Immediately call a doctor. P333 D NO11 NDUCE VOMITING. P304 + P304 IF NWALLOWED: Immediately call a doctor. P305 + P305 IF P305 IF NEVES, Rinse cautionsly with water for several minutes. Remove contact lenses, if present and easy to do. Contineer F305 + P305 IF P305 IF NEVES, Rinse cautionaly with water for several minutes. Remove contact lenses, if present and easy to do. Contineer F305 + P305 IF P305 IF NEVES, Rinse cautionaly with water for several minutes. Remove contact lenses, if present and easy to do. Contineer F305 + P305 IF P305 IF	Classification of hazardous r	product (name of the c		
Aspiration hazard (Category 1) Sensitization – Skin (Category 2) Sensitization – Skin (Category 1) Eye irrition (Category 2) Acute toxicity inhalation (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) May be fatal if swallowed and enters airways. Hazard Statements and precautionary statements of the category/subcategory) May be fatal if swallowed and enters airways. H315 Cates Stati in itration. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H318 Cates critication (Category 2) H316 Cates Stati in itration. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H318 Cates critication (Category 2) H316 Cates Stati in itration. H317 May cause an allergic skin reaction. H318 Cates critication (Category 2) H316 Cates Stati in itration. H317 Adv cause an allergic skin reaction. H318 Cates critication (Category 2) H316 Cates Stati in itration. H317 Adv cause an allergic skin reaction. H319 Cates critication (Category 2) H316 Cates stati is statication (Category 2) H319 Cates critication (Category 2) H310 Cates as critication (Category 1) H310 Cates action (Cates Cates) H310 F311 F311 F311 F311 F311 F311 F311 F			are goily of busicare goily of the hubbin a chubb)	
Skin irritation (Category 2) Eye irritation (Category 2A) Acute toxicity inhalation (Category 2A) Acute toxicity (Category 2A) Acute toxicity (Category 2A) Acute toxicity (Category 2A) Experiment (Stategory 2A) Experiment (Stategory 2) Tafornation elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Tafornation elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H319 Causes are indexing in the state of the unborn child. P301 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P310 Iotain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P310 Iotain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P310 Iotain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P310 Iotain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P310 Iotain special instructions before use. P302 H302 H40 Fands and bound containers and receiving equipment. P341 Use sont sayning tools. P243 Take action to prevent static discharges. P361 Avoid breathing dust/umergas/mist/vapours/spray. P364 Wash hands/nails/face thoroughly after handling. P372 I Use only substruction well-wentilated area. P372 I Use only substructive colhing/sep protection/face protection. P304 + P310 IF SWALLOWED: Immediately call a doctor. P331 DD NOT INDUCE VOMITING. P304 + P335 IF IN P458, Rine caucitously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If Skyth initiation on rasho cocurs: Get medical attention. P304 + P304 IF INM				
Sensitization – Skin (Category 1) Specific target organ toxicity – single exposure (Category 3) Reproductive Category 2.) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Pager		,		
Eye irritation (Category 2Å) Specific target organ toxicity – single exposure (Category 3) Reproductive toxicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger Itaformation elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger Ita26 Flammable liquid and vapor. H226 Flammable liquid for the vapor. H226 Flammable liquid for the vapor. H226 Causes skin irritation. H317 May causes an allergic skin reaction. H319 Causes serious eye irritation. H321 Harding uses an allergic skin reaction. H324 Harding li inhaled. H336 May cause downiness or dizzines. H331 May cause downiness or dizzines. H331 May cause downiness for dizenses. H331 May cause downiness for use. P202 Do not handle until all safety precations have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other givinon sources. No snoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mistvapours/spary. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Ware gives/protective clothing/sep protectionin/face protection. P304 + P310 FSWALLOWED: Immediately call a doctor. P33 DD NOT INDUCE VOMITING. P304 + P304 IF SWALLOWED: Immediately call a doctor. P33 DD NOT INDUCE VOMITING. P304 + P304 IF NAM LOW END: Immediately call a doctor. P33 DD NOT INDUCE VOMITING. P304 + P304 IF NAM LOW END: Immediately call a doctor. P33 DD NOT INDUCE VOMITING. P304 + P304 IF NAM LOW END: Immediatel		(1)		
Acute toxicity inhalation (Category 4) Specific target organ toxicity (-single exposure (Category 3) Reproductive toxicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Darger H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes stin irritation. H317 May cause an allergic skin reaction. H319 Causes stroin sey irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes erious eye irritation. H310 Alwy cause and allergic skin reaction. H313 May cause and allergic skin reaction. H314 H316 May cause and allergic skin reaction. H315 Causes erious eye irritation. H316 Suspected of damaging fertility or the unborn child. P201 Obtain special instructions before use. P202 D not handle until all safety precautions have been read and understood. P201 Need away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P201 Avoid breathing dust/fune/ga/misit/vapours/spray. P246 Wash hands/nails/face thoroughly after handling. P212 Containated work (obting should not be allowed out of the workplace. P280 War glowes/protective clothing glow protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 D N NT INDUCE VOMITTING. P302 + P325 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rake occurs: Get medical attention. P303 + P334 IF NE YES, Rinse catuotally with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF exposed or concerned: Get medical attention. P304 + P340 IF INHALED: Remove per		-)		
Specific target organ toxicity - single exposure (Category 3) Reproductive toxicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger H226 Flammable liquid and vapor. H326 Flammable liquid and vapor. H327 Causes skin irritation. H337 May cause an allergic skin reaction. H339 Causes stein using fortility or the unborn child. H336 May cause drowsness or dizziness. H346 H349 Leaves drowsness or dizziness. H347 H342 causes drowsness or dizziness. H348 H345 May cause drowsness or dizziness. H348 Cause drowsness or dizziness. H349 Cause drowsness or dizziness. H349 H340 Kay be septision-proof equipment. P241 Use non-spathing tools. P243 Take action to prevent static discharges. P240 H void breathing dust/tume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P247 Contaminated vork (abting should not be allowed out of the workplace. P240 Warg lows/protective clothing should not be allowed out of the workplace. P240 Warg lows/protective clothing should not be allowed out of the workplace. P340 H v310 IF SWALLOWED: Immediately call a doctor. P331 D KNI irritation or rash occurs: Get medical attention. P340 + P343 I F SM LFWED: Immediately call a doctor. P331 D KNI irritation or rash occurs: Get medical attention. P340 + P343 I F in Server Low three in the category and was in before rease. P340 H P310 IF NHALLOWED: Immediated attention. P340 + P343 I F in Case of fire: Use carbon divide, cherical powder agent and appropriate foam to extinguish. P340 + P333 I F in SEYS. Since cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P347 + P333 II F in SEYS. Since cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P347 + P333 II F in Case of fire: Use carbon divide, cherical powder agent and appro		egory 4)		
Reproductive toxicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Image of the symbol of the			gory 3)	
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Very Colspan="2">Very Colspan="2">Very Colspan="2">Very Colspan="2">Very Colspan="2">Very Colspan="2">Very Colspan="2">Very Colspan="2" Danger H226 Flammable liquid and vapor. May Colspan="2">Very Colspan="2" Very Colspand Colspan="2" <				
View View Partial View			rd statements and precautionary statements of th	ne category/subcategory)
H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 Causes skin irritation. H318 Causes skin irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P211 Vse only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P351 HO F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P304 + P351 HO F INHALLED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 HF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P304 + P340 HF INHALED: Remove person to		<u> ,</u>		
H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 Causes skin irritation. H318 Causes skin irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P211 Vse only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P351 HO F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P304 + P351 HO F INHALLED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 HF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P304 + P340 HF INHALED: Remove person to				
H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 Causes skin irritation. H318 Causes skin irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P211 Vse only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P351 HO F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P304 + P351 HO F INHALLED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 HF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P304 + P340 HF INHALED: Remove person to				
H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 Causes skin irritation. H318 Causes skin irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P211 Vse only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P351 HO F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P304 + P351 HO F INHALLED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 HF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P304 + P340 HF INHALED: Remove person to)		
H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 Causes skin irritation. H318 Causes skin irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P211 Vse only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P351 HO F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P304 + P351 HO F INHALLED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 HF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P304 + P340 HF INHALED: Remove person to				
H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H336 May cause drowsiness or dizziness. H336 IS uspected of damaging fertility or the unborn child. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 A voib treathing dust/fume/gas/msit/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection. P301 + P310 IF SWALLOWED: Immediately call a doctor, P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P313 IF exposed or concerned: Get medical attention. P304 + P313 IF is present of cesh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contanier into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/symonyms) CAS number or other Concentration (%) Mylenes/Ethyl benzene Norde Scinge instead				
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H336 Suspected of damaging fertility or the unborn child. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking, P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P216 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P217 Lots only outdoors or in a well-ventilated area. P210 Use only outdoors or in a well-ventilated area. P212 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED: Remove person to fresh air and keep continert ightly closed. Keep cool. P405 Store locked up. P501 Dispose of contentix/ortainer into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common nam				
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H328 Harmful if inhale. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility of the unborn child. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/tume/gas/mist/vapours/spray. P264 Wash hand/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EVES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF exposed or concerned: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P304 + P340 IF INHALED: container into safe container in accordance with local, regional or national regulations. P403 Store locked up. P501 Dispose of contents/ontainer into safe container in accordance with local, regional or national regulations. P404 here is solved how the safe container in accordance with local, regional or national regulations. P405 Store locked up. P501 Dispose of content name/synonyms) CAS number or other Chemical name (commu		ed and enters airways.		
H319 Causes serious eye ¹ irritation. H332 Harmful if inhaled. H332 Marg cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P210 Keep away from twi-ventilated area. P271 Osto only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P340 TF INKALED. Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED. Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED. Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED. Remove person to insche attention. P304 + P340 IF INHALED. Conternet: Get medical attention. P304 + P340 IF INHALED. Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P304 + P348 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/containe				
H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P304 + P343 IF exp erimitation persists: Get medical attention. P304 + P343 IF exp erimitation persists: Get medical attention. P304 + P343 IF exp erimitation persists: Get medical attention. P304 + P343 IF exp erimitation persists: Get medical attention. P304 + P343 IF exp erimitation to extinguish. P403 + P233 + P233 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Chemical name (common name/synonyms) CAS number or other Chemical name (common name/synonyms) CAS number or other Chemical name (common name/synonyms) CAS number or other Chemical name (common				
H336 May cause drowsiness or dizziness. H336 May cause drowsiness or dizziness. H336 I Suspected of damaging fertility or the unborn child. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear gloves/protective clothing should not be allowed out of the workplace. P301 F SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P338 IF NE EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF eyne or concerned: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P303 + P313 IF eyne or concerned: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep confortable for breathing. P312 Call a doctor if you feel unwell. P338 + P313 IF eyne or ono discet. Get medical attent	•	tion.		
H361 Suspected of damaging fertility or the unborn child. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P301 FF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P331 IF yee irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P333 IF exposed or concerned: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P333 IF exposed or concerned: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep container tightly closed. Keep cool. P403 + P233		1		
P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P201 Okeap away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/tume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P222 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue trinsing. P337 + P313 IF exposed or concerned: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P370 + P333 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of				
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear glooves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P318 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue trinsing. P37 + P313 IF exposed or concerned: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF INHALED: Remove person to fresh air and keep container tightly closed. Keep cool. P403 + P333 IF exposed or concerned: Get medical attention. P370 + P373 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P333 + P233 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe				
receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF NHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P340 IF NHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P304 + P313 IF exposed or concerned: Get medical attention. P304 + P318 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None CAS number or other Concentration (%) HDI oligomers, isocyanat <u>28182-81-2</u> 45-70 Xylenes/Ethyl benzen <u>1330-20-7/100-41-4</u> 10-30 <u></u> 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (commoremame/synonyms) CAS number or				
P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 IF eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/synonyms) CAS number or other Concentration (%) HD1 oligomers, isocyanat 2818-281-2 45-70 Xylenes/Ethyl benzene 1330-207/100-41-4 10-30 Other products 5-10 * S				
P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common mane/synonyms) CAS number or other Concentration (%) HDI oligomers, isocyanate 1330-20-7/100-41-4 10-30 Valenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products			ray. P264 wash hands/halls/lace thoroughly after has	adıng.
P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P354 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuer rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common mame/synonyms) CAS number or other Concentration (%) HDI oligomers, isocyanate 1330-20-7/100-41-4 10-30 Velnes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet			und out of the workplace	
P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None CAS number or other Concentration (%) HDI oligomers, isocyanate 28182-81-2 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volu	P272 Containinated work clou	lothing/ave protection	face protection	
P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/synonyms) CAS number or other P10 loigomers, isocyanat 28182-81-2 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				
P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None HDI oligomers, isocyanate CAS number or other Concentration (%) HDI oligomers, isocyanate 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				t madical attention
P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common mame/synonyms) CAS number or other Concentration (%) HDI oligomers, isocyanate 28182-81-2 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				t medical attention.
rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/c-ntainer into safe container in accordance with local, regional or national regulations. Other hazards known None <u>Section 3. Composition/information on ingredients</u> <u>Chemical name (common name/synonyms)</u> <u>CAS number or other</u> <u>Concentration (%)</u> HDI oligomers, isocyanat <u>28182-81-2</u> 45-70 Xylenes/Ethyl benzene <u>1330-20-7/100-41-4</u> 10-30 Other products <u></u> <u>5-10</u> * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				assay if present and easy to do Continue
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/ontainer into safe container in accordance with local, regional or national regulations. Other hazards known None Cenemical name (commoder to safe container in accordance with local, regional or national regulations. P10 oligomers, isocyanatr CAS number or other P10 oligomers, isocyanatr 28182-81-2 Aylenes/Ethyl benzene 1330-20-7/100-41-4 Other products * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				ises, if present and easy to do. Continue
P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common met/synonyms) CAS number or other Other products 28182-81-2 45-70 1330-20-7/100-41-4 Other products * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				doctor if you feel unwell
P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Cenemical name (common tigst container in accordance with local, regional or national regulations. Other hazards known None Mone Chemical name (common tigst container) Other siscoganate MDI oligomers, isocyanate 28182-81-2 45-70 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				lociol il you leel uliwell.
P403 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) HDI oligomers, isocyanate 28182-81-2 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				sh
P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) HDI oligomers, isocyanate 28182-81-2 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				511.
P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) HDI oligomers, isocyanatric 28182-81-2 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)		t went ventilated place.	Reep container uginty closed. Reep cool.	
Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) HDI oligomers, isocyanate 28182-81-2 45-70 Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)		ainer into safe containe	r in accordance with local regional or national regul	ations
Section 3. Composition/information on ingredientsChemical name (common name/synonyms)CAS number or otherConcentration (%)HDI oligomers, isocyanate28182-81-245-70Xylenes/Ethyl benzene1330-20-7/100-41-410-30Other products5-10* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)			i in decordance with focul, regional of hational regul	ations.
Chemical name (common name/synonyms)CAS number or otherConcentration (%)HDI oligomers, isocyanate28182-81-245-70Xylenes/Ethyl benzene1330-20-7/100-41-410-30Other products5-10* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)			Composition/information on ingradiants	
HDI oligomers, isocyanate28182-81-245-70Xylenes/Ethyl benzene1330-20-7/100-41-410-30Other products5-10* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)	Chamical name (commercia			Concentration (0/)
Xylenes/Ethyl benzene 1330-20-7/100-41-4 10-30 Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)		me/synonyms)		
Other products 5-10 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume)				
considered trade secret(s).	* Statement - This safety data	sheet provides concentrat		t (except for gases/propellants by volume)
			considered trade secret(s).	



rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim dink two of water, IT vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contait IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. T contaminated clothing and wash it before reuse. IF NEYES, Rinse cautionsly with water for several minutes (15-20 minutes). Remove contact lenses, if present and eas Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. Causes serious eye irritation. Indication of immediate medical attention/special treatment I nall cases, call a doctor. Do not forget this document. Specific hazardos preduct (hazardous combustion products) Carbon oxides and other irritant/txic gases and fumes. Specific hazardos in the hazardous preduct flazardous combustion products) Carbon oxides and other irritating apparatus with full facepice. Specific hazards of the hazardous preduct flazardous combustion products) Carbon oxides and notice, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and precautions for fire-fighters Personal precautions, protective equipment and energency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up ware the appropriate protective equipment and energency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up ware the appropriate protective equipment and encorgency procedures. Restrict access to area until completion of clean-up. Ensure proper ventilation.		Section 4. First-aid measures		
rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim darink two victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN: Wash with pleny of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. T contaminated clobing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and eas Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (carter of delayed) Causes skin irritation. Causes serious eye irritation. Specific hazards of the hazardous product (hazardous combustion products) Causes skin irritation. Causes skin irritation. Specific hazards of the hazardous product (hazardous combustion products) Causes skin isolicid proventing and mash isolicid continue of the singuish. Specific tree equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters, should wear spectry may be useful in cooling equipment and cans exposed to heat and fire arces to area unfil completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment and energency procedures Restrict access to area unfil completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment and energency procedures <th< th=""><th>Inhalation</th><th>IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.</th></th<>	Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.		
Skin conta IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. T contaminated clothing and wash it before revexe. Eye contact IF IN EYES, Rinse cautionsly with water for several minutes (15-20 minutes). Remove contact lenses, if present and eas Continue rinsing. If yee irritation persists: Get medical attention. Most important symptoms and effects facure or delayed) Causes skin irritation. Causes serious eye irritation. Store of the hazardous product (hazardous combustion products) Causes a with integration of non-construction of the network of the hazardous product (hazardous combustion products) Statiable and unsuitable extinguishing media In case of fire: Use carbon dioks of fire-fighters During a fire, irritating rioxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and encortained breathing appartus with full facepice. Shield personnel to protect from wenting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fite access to area unit completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up weat the appropriate protective equipment and energency procedures Personal precautions, protective equipment and elexanifus us Section 6. Contain and absorbent material may pose the sak if it can be done safely. Contain and absorbent material may pose the same hazards as the spilled place container for later disposal (see Section 13). Contaminated absorbent mater	Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. Causes serious eye irritation. Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazardos combustion products) Causes skin irritation. Causes serious eye irritation. Carbon oxides and other irritant/oxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepicec. Shield personnel to protect from venting, rupturing or bursting on without risk. Water spray may bue useful in cooling equipment and canse exposed to heat and flat Section 6. Accidental release measures Personal precautions, protective equipment and energency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 13). Contaminated absorbent material may pose the same hazards as the spilled point to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled pointly the appropriate protection/face protection. Precautions f	Skin contact	IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take o		
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and furmes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and furmes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepicec. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fire Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area unit Completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal I measures are being followed. People working with this chemical should beron to in use. Empty containers and substryapours/spray. Contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of d	Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do		
Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon oticke, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breating apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fit Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area or fleases. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled properly trained regarding its hazards and its safe use. Inspect or for leaks before handling. Wear gloves/protective colhing/cype protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect or for leaks before handling. Leade containers appropriatels. Ensure proper venitation. Avoid breathing dustrime/gas/mistayonus/spray. contact with eyes, skin and cloth	Most important	symptoms and effects (acute or delayed) Causes skin irritation. Causes serious eye irritation.		
Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fit Section 6. Accidential release measures Personal precautions, protective equipment and energency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 13). Contaminated absorbent material may pose the same hazards as the spilled p Notify the appropriate autorities as required. Section 7. Handling and storage Presoutions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment sand personal 1 Before handling, Label containers appropriately. Ensure proper ventitation. Avoid prenating dust/fume/gas/mist/vapours/pray. Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep containers approprivately. Ensure roper ventitation. Avoid personal fous storage area should be clearly identified, obstruction and accessible only to trained personal. Inspect for dostruction dust set uses. Inspect for the set subset of the way of momineompatible materials (Section 10). Keep containers dangord/Personal protective Continors for safe storage, inc	Indication of im	mediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		
Carbon oxides and other irritant/txic gases and funes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating/txic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and It Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (see Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorbent material may pose the same hazards as the spilled plotty the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect or for leaks before handling. Leab el container sappropriately. Ensure proper valiation. Avoid breathing dust/fume/gas/mist/vapours/spray. Contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mist away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers analways dangerous. Refer S		Section 5. Fire-fighting measures		
Carbon oxides and other irritant/txic gases and funes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating/txic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and It Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (see Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorbent material may pose the same hazards as the spilled plotty the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect or for leaks before handling. Leab el container sappropriately. Ensure proper valiation. Avoid breathing dust/fume/gas/mist/vapours/spray. Contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mist away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers analways dangerous. Refer S	Specific hazards	s of the hazardous product (hazardous combustion products)		
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxics smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepicee. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fis Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up war the appropriate protective equipment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled protein authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Enspect con for leaks before handling. Lebel containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/srgay. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours/srgay. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours/srgay. contat with				
Special protective equipment and precautions for fire-fighters During a fire, irritating toxic smoke and fames may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fit Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventitate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled r Notify the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect cor for leaks before handling. Label container tighty closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Keep ontainers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a vell-ventilated place. Keep container tighty closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Keep or	Suitable and un	suitable extinguishing media		
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fite Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled p Notify the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear glowes/protective colting/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect con for leaks before handling. Leale containers appropriately. Ensure proper ventilation. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8 for Safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Storage area should be clearly identified, obstruction and accessible only	In case of fire: U	se carbon dioxide, chemical powder agent and appropriate foam to extinguish.		
protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fa Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment deleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled Notify the appropriate protections as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal I measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect or for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mista away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Storage area should be clearly identified, o obstruction a				
Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled p Notify the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect cor for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Secti 1nspect all incoming containers to make sure they ar	protective equipm	nent and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.		
Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled r Notify the appropriate authorities as required. Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect co for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dustfume/gas/mist/apours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilites Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Secti Inspect all incoming containers to make sure they are properly labelled and not damage or leaks. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm) (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; DUST ACGIH				
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled p Notify the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal 1 measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect cor for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 8. Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-TW ppm & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-TW ppm & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; CAS 100-41-4	Personal precau			
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materi place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled p Notify the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal I measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect con for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, o obstruction and accessible only to trained personale. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGH – TLV-TY ppm & PEL-TWA 100 ppm; DUST ACGH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ve	Restrict access to wear the appropri	area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up shoul ate protective equipment (See Section 8).		
place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled p Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal I measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect cor for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Keep reprojer yen labelled and not damaged. Storage area should be clearly identified, o obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Store in a well-ventilated place. Keep container tightly closed. Keep contols/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-TW				
Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal I measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect confor leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Secti Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, cobstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust venti	place material int	o a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled produc		
Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal I measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect cor for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Storage area should be clearly identified, or obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Storage area should be clearly identified, or obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Description 2. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); <tr< td=""><td>roury the approp</td><td></td></tr<>	roury the approp			
Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal I measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect cor for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect periodically for damage or leaks. Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below ex limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be a sufficient or protection is required explaneed.	Procentions for			
Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Secti Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, o obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below ex limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be	Before handling, measures are bein for leaks before contact with eyes away from incom	it is very important that engineering controls are operating, and that protective equipment requirements and personal hygien ng followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect container handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep		
Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Secti Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, or obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below ex limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be	Conditions for s	afe storage, including any incompatibilities		
Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exlimits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be	Inspect all incon	ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of		
Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below ex- limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposur are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must b		Section 8. Exposure controls/Personal protection		
Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-T ppm & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below ex limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposur are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must b	Control parame			
Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below ex limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be	Exposure limits:	CAS 1330-20-7 ACGIH - TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH - TLV-TWA 2		
Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below ex limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be				
Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposur are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be	Use under well-v	entilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure		
Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposur are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be				
are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be				
during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thou after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove an	are unknown. Ch during all handlir	emically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thorough		



Section 9. Physical an	nd chemical properties			
Physical state Liquid	pH Not available			
Colour Clear	Kinematic viscosity Not available			
Odour Characteristic	Solubility Insoluble			
Melting/freezing point Not available Partition coefficient - n-octanol/water (log) Not available				
Initial boiling point/ initial/range Not available				
Flammability Flammable liquid and vapor. Density/relative density Not available				
Upper and lower flammability/explosive limits Not available	Relative vapour density Heavier than air			
Flash point 27°C closed cup	Particle characteristics Not available			
Auto-ignition temperature Not available	VOC Not available			
Decomposition temperature Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
	acerihad			
Does not react under the recommended storage and handling conditions pro				
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
Keep away from heat, hot surfaces, sparks, open flames and other ignitio	n sources. No smoking.			
Conditions to avoid (static discharge, shock or vibration)				
Keep away from heat, hot surfaces, sparks, open flames and other ignitio	n sources. No smoking.			
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				
Section 11. Toxico	logical information			
Information on the likely routes of exposure (inhalation, ingestion, sl	kin and eye contact)			
May be fatal if swallowed and enters airways. Causes skin irritation. Ma	y cause an allergic skin reaction. Causes serious eye irritation. Harmful if			
inhaled. May cause drowsiness or dizziness. Suspected of damaging ferti	lity or the unborn child.			
Symptoms related to the physical, chemical and toxicological charact				
	Respiratory tract irritation, coughing, shortness of breath, dizziness,			
drowsiness, nausea and headaches.				
Delayed and immediate effects (chronic effects from short-term and	long-term exposure)			
	able; Germ Cell Mutagenicity – No data available; Carcinogenicity – No			
ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxic	city – Possible; Specific Target Organ Toxicity — Single Exposure – No			
	No data available; Aspiration Hazard – No data available; Health Hazards			
Not Otherwise Classified – No data available.				
Numerical measures of toxicity (ATE; LD50 & LC50)				
	100 mg/kg; LC50 Inhalation - Rat - 4 h - 5000 ppm; CAS 100-41-4 LC50			
Oral - Rat - 3500 mg/kg ; LC50 Inhalation - Rat - $4 \text{ h} - 4000 \text{ ppm}$;				
ATE not available in this document.				
Section 12. Ecolo	gical information			
Ecotoxicity (aquatic and terrestrial information) No data available				
Persistence and degradability No data available				
Bioaccumulative potential No data available				
Mobility in soil No data available				
Other adverse effects Harmful to aquatic life with long lasting effects.				
Section 13. Disposal considerations Information on safe handling for disposal/methods of disposal/contaminated packaging				
Dispose of contents/container into safe container in accordance with local, regional or national regulations.				
Section 14. Transport information				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
UN1263; PAINT; Class 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of	of the IMDG (maritime)			
UN1263; PAINT; Class 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
UN1263; PAINT; Class 3; PG III				
	a LIMITED QUANTITY in accordance with TDG.			
Environmental hazards (IMDG or other) None				



		Section 15. Regulatory information	
Safety/health C	fety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance		
with the hazard criteria of the Hazardous Products Regulations (HPR).			
	Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL	
	nvironmental outside regulations		
		egulated according to OSHA (29 CFR).	
		ncy) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.	
	CSA information: Refer to the ingre	edients listed in Section 3.	
	otection Association (NFPA):		
HEALTH: 1		TABILITY: 0SPECIAL HAZARDS: Refer to Section 2 & 3.	
		= Moderate $3 =$ Serious $4 =$ Severe	
*	•	ns Ethyl benzene (CAS 100-41-4) known to the State of California to cause cancer or other	
reproductive har	<u>m.</u>		
		Section 16. Other information	
	st revision of the safety data shee	t May 08, 2024 version 1 (NSS ENTREPRISE INC.)	
Corrections			
References	Safety Data Sheets from manufac	turer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research		
IATA	International Air Transport Asso		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA			
WHMIS Workplace Hazardous Materials Information System			
herein, and shall under they assume all risks	er no circumstances be liable for incidental of their use, handling, and disposal of the pro-	blied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and bduct. In order to meet our stringent requirements, we continuously test our coatings and, occasionally, formulations may be on and data appearing in this reference document may not be up to date, despite the reference date.	